

SELECT MAN



Microbac Laboratories, Inc. - Massachusetts

CERTIFICATE OF ANALYSIS

W6E0682

RECEIVED JUN 08 2016

BY: [Signature] 9:35A

HOLLAND BOARD OF HEALTH

Project Name: MASSACONET SHORES

Dave Kowalski  
P.O. BOX 918  
STURBRIDGE, MA 01566

Project / PO Number: N/A  
Received: 05/31/2016 12:50  
Reported: 06/01/2016 15:21

Analytical Testing Parameters

Client Sample ID: MASSACONET SHORES  
Lab Sample ID: W6E0682 01  
Sample Type: Grab

Collected By: Tom Baltazar  
Collection Date: 05/31/16  
Collection Time: 08:15

Microbiology	Result	PQL	Units	Note	Prepared	Analyzed	Lab
Method: SM9223 B-1997 Escherichia coli	63	10	MPN/100 mL		05/31/16 1509	06/01/16 0915	MASS

Laboratory

MASS: Microbac Laboratories, Inc - Massachusetts

Definitions

PQL: Practical Quantitation Limit

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 13.5°C

Cooler Inspection Checklist

Custody Seals Intact and/or No Evidence of Tampering	Yes	Containers Intact	Yes
COC/Labels Agree	Yes	Preservation Correct (or not required)	Yes
Received on Ice (or not required)	Yes		

Project Requested Certification(s)

Microbac Laboratories, Inc - Massachusetts  
M-MA003

Massachusetts Department of Environmental Protection

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted

Reviewed and Approved By:

[Signature]

Manish Shekhawat For Elizabeth Sjogren  
Technician  
06/01/2016 15:21

Go Green - Contact Elizabeth Sjogren to set up email reporting and in-sourcing options.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Elizabeth Sjogren, Project Manager at elizabeth.sjogren@microbac.com. You may also contact Manish Shekhawat, Laboratory Director at manish.shekhawat@microbac.com or Robert Crookston, President at robert.crookston@microbac.com



Microbac Laboratories, Inc. - Massachusetts  
**CERTIFICATE OF ANALYSIS**

**RECEIVED**  
 JUN 08 2016  
 BY: CS 9:36A

W6E0683

HOLLAND BOARD OF HEALTH

Project Name: CRAIG ROAD BEACH

Dave Kowalski  
 P.O BOX 918  
 STURBRIDGE, MA 01566

Project / PO Number: N/A  
 Received: 05/31/2016 12:50  
 Reported: 06/01/2016 15:21

**Analytical Testing Parameters**

Client Sample ID: CRAIG ROAD BEACH  
 Lab Sample ID: W6E0683-01  
 Sample Type: Grab

Collected By: Tom Baltzer  
 Collection Date: 05/31/16  
 Collection Time: 08:00

Microbiology	Result	PQL	Units	Note	Prepared	Analyzed	Lab
Method: SM9223 B-1997 Escherichia coli	60	10	MPN/100 mL		05/31/16 1509	06/01/16 0915	MASS

**Laboratory**

MASS: Microbac Laboratories, Inc - Massachusetts

**Definitions**

PQL: Practical Quantitation Limit

**Cooler Receipt Log**

Cooler ID: Default Cooler Temp: 13.5°C

**Cooler Inspection Checklist**

Custody Seals Intact and/or No Evidence of Tampering	Yes	Containers Intact	Yes
COC/Labels Agree	Yes	Preservation Correct (or not required)	Yes
Received on Ice (or not required)	Yes		

**Project Requested Certification(s)**

Microbac Laboratories, Inc - Massachusetts  
 M-MA003

Massachusetts Department of Environmental Protection

**Report Comments**


Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted

Reviewed and Approved By:

Manish Shekhawat For Elizabeth Sjogren  
 Technician  
 06/01/2016 15:21

Go Green: Contact Elizabeth Sjogren to set up email reporting and in-person options.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Elizabeth Sjogren, Project Manager at elizabeth.sjogren@microbac.com. You may also contact Manish Shekhawat, Laboratory Director at manish.shekhawat@microbac.com or Robert Crookston, President at robert.crookston@microbac.com.



Microbac Laboratories, Inc. - Massachusetts

CERTIFICATE OF ANALYSIS

W6E0684

RECEIVED JUN 08 2016

BY: [Signature] 9:35A

HOLLAND BOARD OF HEALTH

Project Name: COLLETTE DRIVE BEACH

Dave Kowalski
P.O BOX 918
STURBRIDGE, MA 01566

Project / PO Number: N/A
Received: 05/31/2016 12:50
Reported: 06/01/2016 15:21

Analytical Testing Parameters

Client Sample ID: COLLETTE DRIVE BEACH
Lab Sample ID: W6E0684-01
Sample Type: Grab

Collected By: Dave Kowalski
Collection Date: 05/31/16
Collection Time: 08:00

Table with 9 columns: Microbiology, Result, PQL, Units, Note, Prepared, Analyzed, Lab. Row 1: Escherichia coli, 3.0, 1.0, MPN/100 mL, 05/31/16 1509, 06/01/16 0915, MASS

Laboratory MASS Microbac Laboratories, Inc - Massachusetts

Definitions PQL: Practical Quantitation Limit

Cooler Receipt Log Cooler ID: Default Cooler Temp: 13.5°C

Cooler Inspection Checklist table with 4 columns: Item, Yes, No, Yes. Items include Custody Seals, COC/Labels, Received on Ice, Containers Intact, Preservation Correct.

Project Requested Certification(s) Microbac Laboratories, Inc - Massachusetts M-MA003 Massachusetts Department of Environmental Protection

Report Comments Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted

Reviewed and Approved By: [Signature]

Manish Shekhawat For Elizabeth Sjogren
Technician
06/01/2016 15:21

Go Green! Contact Elizabeth Sjogren for an email reporting and/or on-line options

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included.



Microbac Laboratories, Inc. - Massachusetts

CERTIFICATE OF ANALYSIS

W6E0685

RECEIVED JUN 08 2016

BY: [Signature] 9:36A

HOLLAND BOARD OF HEALTH

Project Name: HOLLAND POND

Dave Kowalski  
P.O BOX 918  
STURBRIDGE, MA 01566

Project / PO Number: N/A  
Received: 05/31/2016 12:50  
Reported: 06/01/2016 15:21

Analytical Testing Parameters

Client Sample ID: HOLLAND POND  
Lab Sample ID: W6E0685-01  
Sample Type: Grab

Collected By: Tom Baltazar  
Collection Date: 05/31/16  
Collection Time: 09:15

Microbiology	Result	PQL	Units	Note	Prepared	Analyzed	Lab
Method: SM9223 B-1997 Escherichia coli	22	10	MPN/100 mL		05/31/16 1509	06/01/16 0915	MASS

Laboratory

MASS: Microbac Laboratories, Inc. - Massachusetts

Definitions

PQL: Practical Quantitation Limit

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 13.5°C

Cooler Inspection Checklist

Custody Seals Intact and/or No Evidence of Tampering	Yes	Containers Intact	Yes
COC/Labels Agree	Yes	Preservation Correct (or not required)	Yes
Received on Ice (or not required)	Yes		

Project Requested Certification(s)

Microbac Laboratories, Inc. - Massachusetts  
M-MA003

Massachusetts Department of Environmental Protection

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted

Reviewed and Approved By:


[Signature]

Manish Shekhawat For Elizabeth Sjogren  
Technician

06/01/2016 15:21

Go Green: Contact Elizabeth Sjogren to set up email reporting and invoicing options

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services please contact Elizabeth Sjogren, Project Manager at elizabeth.sjogren@microbac.com. You may also contact Manish Shekhawat, Laboratory Director at manish.shekhawat@microbac.com or Robert Crookston, President at robert.crookston@microbac.com



Microbac Laboratories, Inc - Massachusetts

CERTIFICATE OF ANALYSIS

W6E0686

RECEIVED JUN 08 2016

BY: [Signature] 9:37A

HOLLAND BOARD OF HEALTH

Dave Kowalski  
P.O BOX 918  
STURBRIDGE, MA 01566

Project Name: BRANDON ROAD

Project / PO Number: N/A  
Received: 05/31/2016 12:50  
Reported: 06/01/2016 15:21

Analytical Testing Parameters

Client Sample ID: BRANDON ROAD  
Lab Sample ID: W6E0686-01  
Sample Type: Grab

Collected By: Tom Baltazar  
Collection Date: 05/31/16  
Collection Time: 09:35

Microbiology	Result	PQL	Units	Note	Prepared	Analyzed	Lab
Method: SM9223 B-1997 Escherichia coli	38	10	MPN/100 mL		05/31/16 1509	06/01/16 0915	MASS

Laboratory

MASS: Microbac Laboratories, Inc - Massachusetts

Definitions

PQL: Practical Quantitation Limit

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 13.5°C

Cooler Inspection Checklist

Custody Seals Intact and/or No Evidence of Tampering	Yes	Containers Intact	Yes
COC/Labels Agree	Yes	Preservation Correct (or not required)	Yes
Received on Ice (or not required)	Yes		

Project Requested Certification(s)

Microbac Laboratories, Inc - Massachusetts  
M-MA003

Massachusetts Department of Environmental Protection

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted

Reviewed and Approved By:

Manish Shekhawat For Elizabeth Sjogren  
Technician  
06/01/2016 15:21

Go Green: Contact Elizabeth Sjogren to set up email reporting and invoicing options

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Elizabeth Sjogren, Project Manager at elizabeth.sjogren@microbac.com. You may also contact Manish Shekhawat, Laboratory Director at manish.shekhawat@microbac.com or Robert Crookston, President at robert.crookston@microbac.com.



Microbac Laboratories, Inc. - Massachusetts

CERTIFICATE OF ANALYSIS

W6E0532

RECEIVED JUN 08 2016

BY: [Signature] 9-38A

Analytical Testing Parameters

Client Sample ID: BRANDON ROAD
Lab Sample ID: W6E0532-05
Sample Type: Grab

Collected By: Customer
Collection Date: 05/23/16
Collection Time: 07:20

Table with 9 columns: Microbiology, Result, Limit, PQL, Units, Note, Prepared, Analyzed, Lab. Row 1: Method: SM9223 B-1997, Escherichia coli, 60, 240, 10, MPN/100 mL, 05/23/16 1345, 05/24/16 0930, MASS

Laboratory

MASS: Microbac Laboratories, Inc - Massachusetts

Definitions

PQL: Practical Quantitation Limit

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 10.0°C

Cooler Inspection Checklist

Checklist table with 4 columns: Item, Yes, Item, Yes. Items include Custody Seals Intact and/or No Evidence of Tampering, COC/Labels Agree, Received on Ice (or not required), Containers Intact, Preservation Correct (or not required).

Project Requested Certification(s)

Microbac Laboratories, Inc. - Massachusetts
M-MA003

Massachusetts Department of Environmental Protection

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

Reviewed and Approved By:

[Signature]

Manish Shekhawat For Elizabeth Sjogren
Technician
05/24/2016 15:27

Go Green: Contact Elizabeth Sjogren to set up email reporting and invoicing options.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. For any feedback concerning our services, please contact Elizabeth Sjogren, Project Manager at elizabeth.sjogren@microbac.com. You may also contact Manish Shekhawat, Laboratory Director at manish.shekhawat@microbac.com or Robert Crookston, President at robert.crookston@microbac.com